



We make it happen!
Impact & Twist torque

**Wallet
Set**



**e-Bit[®]
set**



COMPANY PROFILE

Rote Mate Co., Ltd has been dedicated to hand tool industry for over 50 years as a high-quality manufacturer and offer innovative, patented items to meet the demand of terminal markets. We are specializing in producing hand tool and power tool accessories which include screwdrivers, screwdriver bits, nut drivers, nut setters, bit holders, sockets, adaptors and other items.

Rote Mate continuously develops and provides service solution for various industries. With our extensive experience and professional custom manufacturing process, we meet your needs with strict quality standard; the best service and competitive prices enable us to keep ahead in competition. Also we are committed to our customers' requirements all the time.

We have acquired ISO 9001:2015 Quality Certification. Besides, OEM, ODM and samples are welcome for new product development and manufacturing.

Our R&D team has developed wide expertise of hand tool and power tool accessories. R&D department is the spirit of Rote Mate and the center of heart.

Please provide us with a blueprint, drawing or a sample of the preferred part to meet your requirements and we'll contact you soon. We appreciate your support and look forward to building our partnership together now and in the near future.



**10 IN 1
PRECISION SET**



INDEX

IMPACT GRADE

All Hex Extension & SDS Plus.....	01-07
e-Bit®	08-10
e-Nut®	11-12

POWER TOOL ACCESSORY


1.Bit Holder.....	13
2.Quick Release Chuck.....	14
3.Nut Setter.....	15-18
4.Socket Adaptor.....	19
5.Screwdriver Bit.....	20-24
6.i-Bit.....	25
7.Socket Bit.....	26

HAND TOOL

Hose Clamp Driver.....	27
SET.....	28-34
10 in 1 Precision Screwdriver.....	34

Package

Double Card Series.....	35
e-PAK.....	35
BT/ SK Box Series.....	35-37
Security HangTag for E6.3.....	37



31PC BIT SET

BIT-CLASS

i-BIT SET

WERENCH SET



Power Tools Accessories

Rote Mate mainly makes power tool accessories and power drill accessories such as power bits, bit holders, nut setters, quick release chucks, socket adapters, wood working extension bar, bit sets, and so on. Rote Mate's power tools accessories are durable, reliable, and easy to operate and prove themselves on the professional job site every day.

■ 1-1 Bit Holder



- Versatile: accommodating all 1/4" hex insert bits.
- Efficient: bits can be changed quickly & easily.
- Durable and sturdy: Rugged construction provides a long life under constant use.
- Precise: specially designed for professional performance.

■ 1-2 Quick Release Chuck, Quick Release Drill Chuck



- Universal, 1/4" hex shank fits all drills.
- Use for inserting power-grooved 1/4" hex shank.
- Ideal complement for any electric drill or power screwdriver.
- Available in sanded finish, black oxide finish, zinc plated finish.

■ 1-3 Nut Setter



- High quality alloy steel, one-piece construction, cold forged, durable under constant use.
- 1/4" driving shank with power groove.
- Used for power driving hex head screws, bolts and nuts.
- Ideal complements for any electric drill or power screwdriver.

■ 1-4 Socket Adaptors



- Chrome Vanadium alloy steel, one-piece construction, cold forged, durable under constant use.
- Universal, 1/4" hex shank fits all drills.
- Ideal complements for any electric drill or power screwdriver.
- Available in sanded finish, black oxide finish, zinc plated finish.

■ 1-5 Screwdriver Bits



- Rote Mate provides power screwdriver bits of high quality, efficiency, high torque transfer and less cam-out. These bits are used for cordless screwdrivers and drills of variable speed and power to drive screws through all types of materials.

All Hex Quick Release Holder

Product Features:

Our SDS Plus All Hex with durable structure is totally different from other traditional extension.

- 1. Impact Resistance-**The extension can stand the heavy impact of hammer drill.
- 2. Easy to Change-**You can change screwdriver bit, concrete drill bit, nut setter, etc. quickly by using our extension. It means that you can save not only the time but also the cost for SDS special adaptor. Also, you can insert the drill bit in the extension directly. The heavy screw and nut can be fastened directly as well.



The SDS plus shank, for most hammer drill

Solid one piece body construction for heavy torque resistance by SCM440 alloy steel

The holder suits for all bits made according to C6.3 & E6.3 shank of Screwdriver bits, Nut setters, Drill bits

All Hex Quick Release Holder SDS Plus



Patented


The holder is suitable for all bits, nut setters and drill bits made according to C6.3 & E6.3 shank.

Solid one piece body construction for heavy torque resistance.

Especially for concrete bolts or heavy fasteners.

Overall length : 78mm

for more detail please link to



SDS Plus Extension

-For heavy duty hammer drill

Item NO. SDPSPDP160IDF

The SDS plus shank
for most hammer drill

Solid one piece body
construction for heavy
duty resistance by
SCM440 alloy steel



The SDS plus extension
is suitable for all
SDS plus shank

Product Features:

Our SDS Plus Extension with durable structure is totally different from other traditional extension.

- 1. Heavy Duty:** The extension can stand the heavy duty of hammer drill and extend your working length.
- 2. Easy to Change:** You can change the chisel and concrete drill quickly by using our extension. It means that you can save not only time but also the cost for SDS special adaptor.



All Hex Quick Release Holder SDS Plus

Patented



AXSDPF6678

All Hex Quick Release Holder

- The body driver fits the SDS plus hammer drill.
- The holder suits for all made according to C6.3 & E6.3 shank.
- Soild one piece body construction.



AXSDP01P

All Hex Quick Release Holder

- The body driver fits the SDS plus hammer drill.
- The holder suits for all bits made according to C6.3 & E6.3 shank.
- Soild one piece body construction.
- with plastic box.



AXSDPAD02P

2pcs All Hex Quick Release Holder with Socket Adaptor Set

- 1pc All Hex SDS plus quick release holder.
- 1/2Dr. SDS Plus Socket Adaptor (pin type)
- ****3/8 Dr. Socket Adaptor available**



AXSDP09P

9pcs All Hex Quick Release Holder with driver / drill bits set

- 1pc SDS plus quick release holder.
- 5pcs Torsion Impact Screwdriver bits (E6.3 shank bit)
- 3pcs Carbide drill bits 5/6/8mm (E6.3 shank bit)

All Hex Extension



PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	60mm	ALHX014060ADF5
	75mm	ALHX014075ADF5
	152mm	ALHX014152ADF5
	303mm	ALHX014303ADF5

Impact Driver



All Hex Extension

Spade Bit



Socket Adaptor



Double End Bit



Single End Bit (C6.3)



Single End Bit (E6.3)



E11 All Hex Extension with E11 shank Wood Drill



Solid one piece body construction for heavy duty resistance by SCM440 alloy steel

All Hex Quick Release Holder:
1. Heavy Duty
2. Easy to Change

E11 Shank Wood Drill

All Hex Bit Holder 1/2 Dr. (For E11)



11 F11

1/2"

SIZE	OVERALL LENGTH/mm	ITEM NO.
E11	55mm	AHX111255IDF

All Hex Extension E11




11 F11

11 E11

SIZE	OVERALL LENGTH/mm	ITEM NO.
E11	170mm 300mm	AHX11E11170IDF AHX11E1130IDF

All Hex Extension SDS Plus Shank



11 F11

SDS Plus

SIZE	OVERALL LENGTH/mm	ITEM NO.
7/16"	160mm 290mm	AHX11SDP160IDF AHX11SDP290IDF

IMPACT GRADE

e-Bit®

Normal screwdriver bit can't stand high output from the impact driver due to the strong power, it cause the bit to break easily...That's why you must choose our "torsion impact" e-Bit®!



High Output from Impact Driver

Normal Torsion Bit

Absorb extra power from the tool. However:

- 1.) long torsion zone can't transmit too much power
- 2.) Need longer time to tighten the screws



Torsion Impact e-Bit®

- 1.) Torsion & "impact" function
- 2.) Short torsion zone: Offset less strength from the tools, the largest power can pass through to screw.
- 3.) Reach the biggest torque with the small angle in a very short time
- 4.) Use less strength but get the maximum performance.

Reasons you must choose e-Bit® with unique V5 material:

Tip Style



Tip styles suit common applications.

Special Short torsion zone

Uniquely engineered torsion zone absorb extra stress from the bit tip at the torque peak.

Unique V5 material

More durable than normal S2, the life time of bit can be increased with the special V5 material.



Screwdriver Bit color band list

Color bands indicate different bit tip types





- RM impact bits are made of unique V5 steel high quality resistant steel with proper heat treating process.
- Extraordinary design of the turn down groove makes impact bits elastic, with provides 40% more breaking angle, more impacting ability in peak loading.
- RM impact bits are twice or more as durable as other bits produced by our rivals.
- RM impact bits deliver power straightly, no energy wasted in heavy loading.
- RM impact bits exceed DIN & ASME standard, perfectly fits screw recesses, will not damage screws & serve thousands of times with the best quality

e-Bit® Torsion Impact

Lifetime test

PH2 Bit per ISO 8764 standard 10.3 Nm Min. Torque



Extraordinary Design
turn down groove make
impact bits elastic

Details as our Webside

Brand M 4276 life long

Brand W 8417 life long

Brand V 8143 life long

e-Bit® 16389 life long

WINNER




www.rotamate.com

e-Bit® Torsion Impact e-Bit® (Elastic bit)

Phillips Torsion Impact Screwdriver Bit-V5 material



HRC 57-61 PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
2	25	BPH02C6025SKEP1
3		BPH03C6025SKEP1
2	50	BPH02E6050SKEP1
3		BPH03E6050SKEP1
2	75	BPH02E6075SKEP1
3		BPH03E6075SKEP1
2	100	BPH02E6100SKEP1
3		BPH03E6100SKEP1

Pozi Torsion Impact Screwdriver Bit-V5 material



HRC 57-61 PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
2	25	BPZ02C6025SKEP5
3		BPZ03C6025SKEP5
2	50	BPZ02E6050SKEP5
3		BPZ03E6050SKEP5
2	75	BPZ02E6075SKEP5
3		BPZ03E6075SKEP5
2	100	BPZ02E6100SKEP5
3		BPZ03E6100SKEP5

Square Torsion Impact Screwdriver Bit-V5 material



HRC 57-61 PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
2	25	BSQ02C6025SKEP2
3		BSQ03C6025SKEP2
2	50	BSQ02E6050SKEP2
3		BSQ03E6050SKEP2
2	75	BSQ02E6075SKEP2
3		BSQ03E6075SKEP2
2	100	BSQ02E6100SKEP2
3		BSQ03E6100SKEP2

Star Torsion Impact Screwdriver Bit-V5 material



HRC 57-61 PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
20	25	BTX20C6025SKEP6
25		BTX25C6025SKEP6
27		BTX27C6025SKEP6
30		BTX30C6025SKEP6
20	50	BTX20E6050SKEP6
25		BTX25E6050SKEP6
27		BTX27E6050SKEP6
30		BTX30E6050SKEP6
20	75	BTX20E6075SKEP6
25		BTX25E6075SKEP6
27		BTX27E6075SKEP6
30		BTX30E6075SKEP6
20	100	BTX20E6100SKEP6
25		BTX25E6100SKEP6
27		BTX27E6100SKEP6
30		BTX30E6100SKEP6

Torsion Double End Bit

Phillips Double End Bit



PATENTED

SIZE	OVERALL LENGTH/mm	ITEM NO.
PH2xPH2	65	BPH2DE6065SAEN

e-Nut[®] Torsion Impact e-Nut[®] (Elastic nut)

- High quality alloy steel, one-piece construction, cold forged, durable under constant use.
- 1/4" driving shank with power groove.
- Used for power driving hex head screws, bolts and nuts.
- Ideal complements for any electric drill or power screwdriver.
- Spring backed magnet absorbs impacts in tough driving applications.
- Color code ring meet to ASME standard.
- e-Nut[®] is made of **S2** alloy steel high quality resistant steel with proper heat treatment process.



Torsion Impact e-Nut[®]

Torsion zone
Uniquely Torsion zone can dissipate damaging peak loads.

Color ring
Color code ring meet to ASME standard

Floating magnet
Spring backed magnet absorbs impacts in tough driving applications

S2 alloy steel
e-Nut[®] is made of S2 alloy steel high quality resistant steel with proper heat treating process


Nominal Metric Size	6mm	7mm	8mm	9mm	10mm	11mm	12mm	13mm
Nominal Inch Size	1/4"	5/16"	3/8"	7/16"	1/2"			

(Color Band List)



www.rotemate.com

e-Nut® -S2 alloy steel



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	2"	C0104E6050SKEP1
5/16		C0516E6050SKEP3
3/8		C0308E6050SKEP5
7/16		C0716E6050SKEP0
1/2		C0102E6050SKEP1
1/4	2-9/16"	C0104E6065SKEP1
5/16		C0516E6065SKEP3
3/8		C0308E6065SKEP5
7/16		C0716E6065SKEP0
1/2		C0102E6065SKEP1
1/4	4"	C0104E6100SKEP1
5/16		C0516E6100SKEP3
1/4	6"	C0104E6150SKEP1
5/16		C0516E6150SKEP3
3/8		C0308E6150SKEP5
7/16		C0716E6150SKEP0

SIZE	OVERALL LENGTH/mm	ITEM NO.	
6mm	50mm	C060E6050SKEP1	
7mm		C070E6050SKEP2	
8mm		C080E6050SKEP3	
9mm		C090E6050SKEP4	
10mm		C100E6050SKEP5	
11mm		C110E6050SKEP0	
12mm		C120E6050SKEP1	
13mm		C130E6050SKEP7	
6mm		65mm	C060E6065SKEP1
7mm			C070E6065SKEP2
8mm	C080E6065SKEP3		
9mm	C090E6065SKEP4		
10mm	C100E6065SKEP5		
11mm	C110E6065SKEP0		
12mm	C120E6065SKEP1		
13mm	C130E6065SKEP7		
6mm	150mm	C060E6150SKEP1	
7mm		C070E6150SKEP2	
8mm		C080E6150SKEP3	
9mm		C090E6150SKEP4	
10mm		C100E6150SKEP5	
11mm		C110E6150SKEP0	
12mm		C120E6150SKEP1	
13mm		C130E6150SKEP7	

POWER TOOL ACCESSORY

1. Bit Holder



- Versatile: accommodating all 1/4" hex insert bits.
- Efficient: bits can be changed quickly & easily.
- Durable and sturdy: Rugged construction provides a long life under constant use.
- Precise: specially designed for professional performance.

Magnetic Bit Holder-Stainless Steel



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	50	10	F010E6050VNGFM
	54		F010E6054VNGFM
	60		F010E6060VNGFM
	75		F010E6075VNGFM
	100		F010E6100VNGFM
	150		F010E6150VNGFM
	200		F010E6200VNGFM
1/4"	254	11	F010E6254VNGFM
	305		F010E6305VNGFM
	50		F011E6050VNGFM
	54		F011E6054VNGFM
	60		F011E6060VNGFM
	75		F011E6075VNGFM
	100		F011E6100VNGFM
1/4"	150	11	F011E6150VNGFM
	200		F011E6200VNGFM
	254		F011E6254VNGFM
	305		F011E6305VNGFM

Magnetic Bit Holder-W/Extensible Sleeve



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	80	9.3	FFTE6080AAM
	120		FFTE6120AAM

Magnetic Bit Holder-W/Magnetic Screw Cap



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	60	10	FFSE6070VNADMM7


Magnetic Bit Holder-Cold Forge Stainless Steel



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	60	11	F110E6060NGFMC
	75		F110E6075NGFMC



2. Quick Release Chuck



- Universal, 1/4" hex shank fits all drills.
- Use for inserting power-grooved 1/4" hex shank.
- Ideal complement for any electric drill or power screwdriver.
- Available in sanded finish, black oxide finish, zinc plated finish.

Magnetic Bit Holder-Quick Release



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	50	10.5	QBCLE6050VNMO
	54		QBCLE6054VNMO
	60		QBCLE6060VNMO
	75		QBCLE6075VNMO
	100		QBCLE6100VNMO
	150		QBCLE6150VNMO
	200		QBCLE6200VNMO
	254		QBCLE6254VNMO
305	QBCLE6305VNMO		

Quick release chuck-60mm



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	60	QDBE6060VNC2M

Magnetic Bit Holder-Quick Release-One Touch



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	60	10.5	QBPLE6060VNADG7

Quick Release Bit Holder-W/holding sleeve



SIZE	OVERALL LENGTH/mm	HOLDER Ømm	ITEM NO.
1/4"	80	10	QBPLE6080VNADG7
	150		QBPLE6150VNADG7
	300		QBPLE6300VNADG7


If you need other size, please contact us.

3. Nut Setter



- High quality alloy steel, one-piece construction, cold forged, durable under constant use.
- 1/4" driving shank w/ power prove.
- Use for power driving hex head screw, bolts and nuts.
- Ideal complement for any electric drill or power screwdriver.

Magnetic nut setter-Chrome Vanadium alloy steel




SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	1-3/4"	C0104E6045VSRM
5/16		C0516E6045VSRM
3/8		C0308E6045VSRM
7/16		C0716E6045VSRM
1/2		C0102E6045VSRM
1/4	2-9/16"	C0104E6065VSRM
5/16		C0516E6065VSRM
3/8		C0308E6065VSRM
7/16		C0716E6065VSRM
1/2		C0102E6065VSRM
1/4	4"	C0104E6100VSRM
5/16		C0516E6100VSRM
3/8		C0308E6100VSRM
1/4	6"	C0104E6150VSRM
5/16		C0516E6150VSRM
3/8		C0308E6150VSRM
7/16		C0716E6150VSRM

SIZE	OVERALL LENGTH/mm	ITEM NO.
5mm	45mm	C050E6045VSRM
6mm		C060E6045VSRM
7mm		C070E6045VSRM
8mm		C080E6045VSRM
9mm		C090E6045VSRM
10mm		C100E6045VSRM
11mm		C110E6045VSRM
12mm		C120E6045VSRM
13mm		C130E6045VSRM
14mm		C140E6045VSRM
5mm	65mm	C050E6065VSRM
5.5mm		C055E6065VSRM
6mm		C060E6065VSRM
7mm		C070E6065VSRM
8mm		C080E6065VSRM
9mm		C090E6065VSRM
10mm		C100E6065VSRM
11mm		C110E6065VSRM
12mm		C120E6065VSRM
13mm		C130E6065VSRM
14mm	C140E6065VSRM	
15mm	C150E6065VSRM	
17mm	C170E6065VSRM	
8mm	100mm	C080E6100VSRM
10mm		C100E6100VSRM
12mm		C120E6100VSRM
8mm	150mm	C080E6152VSRM
10mm		C100E6152VSRM
12mm		C120E6152VSRM



■ **Magnetic nut setter-S2 alloy steel**



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	1-3/4"	C0104E6045SARM
5/16		C0516E6045SARM
3/8		C0308E6045SARM
7/16		C0716E6045SARM
1/4	2-9/16"	C0104E6065SARM
5/16		C0516E6065SARM
3/8		C0308E6065SARM
7/16		C0716E6065SARM
1/2	C0102E6065SARM	
1/4	4"	C0104E6100SARM
5/16		C0516E6100SARM
1/4	6"	C0104E6150SARM
5/16		C0516E6150SARM
3/8		C0308E6150SARM
7/16		C0716E6150SARM


■ **Nut setter Clip type -Insert type**



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	1-1/16"	C0104C6027VSCB
5/16		C0516C6027VSCB
3/8		C0308C6027VSCB
7mm	27mm	C070C6027VSCB
8mm		C080C6027VSCB
10mm		C100C6027VSCB


SIZE	OVERALL LENGTH/mm	ITEM NO.
5.5mm	50mm	C055E6050SARM
6mm		C060E6050SARM
7mm		C070E6050SARM
8mm		C080E6050SARM
9mm		C090E6050SARM
10mm		C100E6050SARM
11mm		C110E6050SARM
12mm		C120E6050SARM
13mm		C130E6050SARM
14mm		C140E6050SARM
5.5mm	65mm	C055E6065SARM
6mm		C060E6065SARM
7mm		C070E6065SARM
8mm		C080E6065SARM
9mm		C090E6065SARM
10mm		C100E6065SARM
11mm		C110E6065SARM
12mm		C120E6065SARM
13mm	C130E6065SARM	
14mm	C140E6065SARM	
6mm	150mm	C060E6150SARM
7mm		C070E6150SARM
8mm		C080E6150SARM
9mm		C090E6150SARM
10mm		C100E6150SARM
11mm		C110E6150SARM
12mm		C120E6150SARM
13mm		C130E6150SARM
14mm		C140E6150SARM

■ **Magnetic nut setter-Insert type**



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	1-1/16"	C0104C6027VSRM
5/16		C0516C6027VSRM
3/8		C0308C6027VSRM
7mm	27mm	C070C6027VSRM
8mm		C080C6027VSRM
10mm		C100C6027VSRM

■ Hanger bolt driver




SIZE	OVERALL LENGTH/mm	ITEM NO.
M6	50mm	CM6E6050VSMN
M8		CM8E6050VSMN
M10		CM10E6050VSMN
M12		CM12E6050VSMN

■ Eye Bolt Driver



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	62mm	CE13E6062BSMD


■ Nut setter-Clip type



SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4	1-3/4"	C0104E6045VSRCB
5/16		C0516E6045VSRCB
3/8		C0308E6045VSRCB
7/16		C0716E6045VSRCB
1/4	2-9/16"	C0104E6065VSRCB
5/16		C0516E6065VSRCB
3/8		C0308E6065VSRCB
7/16		C0716E6065VSRCB
7mm	45mm	C070E6045VSRCB
8mm		C080E6045VSRCB
10mm		C100E6045VSRCB
12mm		C120E6045VSRCB
7mm	65mm	C070E6065VSRCB
8mm		C080E6065VSRCB
10mm		C100E6065VSRCB
12mm		C120E6065VSRCB
13mm		C130E6065VSRCB



■ Extra deep well nut driver



SIZE	OVERALL LENGTH/mm	DEPTH	ITEM NO.
6mm			C060E6110AOFDX
8mm			C080E6110AOFDX
10mm			C100E6110AOFDX
11mm			C110E6110AOFDX
12mm	110mm	75mm	C120E6110AOFDX
13mm			C130E6110AOFDX
14mm			C140E6110AOFDX
17mm			C170E6110AOFDX
19mm			C190E6110AOFDX
6mm			C060E6150AOFDX
8mm			C080E6150AOFDX
10mm			C100E6150AOFDX
11mm			C110E6150AOFDX
12mm	150mm	100mm	C120E6150AOFDX
13mm			C130E6150AOFDX
14mm			C140E6150AOFDX
17mm			C170E6150AOFDX
19mm			C190E6150AOFDX
8mm			C080E6200AOFDX
10mm			C100E6200AOFDX
11mm			C110E6200AOFDX
12mm	200mm	150mm	C120E6200AOFDX
13mm			C130E6200AOFDX
14mm			C140E6200AOFDX
17mm			C170E6200AOFDX
19mm			C190E6200AOFDX
1/4"			C0104E6110AOFDX
5/16"			C0516E6110AOFDX
3/8"	4 5/16"	3"	C0308E6110AOFDX
7/16"			C0716E6110AOFDX
1/2"			C0102E6110AOFDX
1/4"			C0104E6150AOFDX
5/16"			C0516E6150AOFDX
3/8"	6"	4"	C0308E6150AOFDX
7/16"			C0716E6150AOFDX
1/2"			C0102E6150AOFDX
5/16"			C0516E6200AOFDX
3/8"	8"	6"	C0308E6200AOFDX
7/16"			C0716E6200AOFDX
1/2"			C0102E6200AOFDX

■ Extra deep well nut driver for SDS-Plus




SIZE	OVERALL LENGTH/mm	DEPTH	ITEM NO.
10mm			C100SP110AOFDX
11mm			C110SP110AOFDX
12mm			C120SP110AOFDX
13mm	110mm	75mm	C130SP110AOFDX
14mm			C140SP110AOFDX
17mm			C170SP110AOFDX
19mm			C190SP110AOFDX
10mm			C100SP150AOFDX
11mm			C110SP150AOFDX
12mm			C120SP150AOFDX
13mm	150mm	100mm	C130SP150AOFDX
14mm			C140SP150AOFDX
17mm			C170SP150AOFDX
19mm			C190SP150AOFDX
10mm			C080SP200AOFDX
11mm			C110SP200AOFDX
12mm			C120SP200AOFDX
13mm	200mm	150mm	C130SP200AOFDX
14mm			C140SP200AOFDX
17mm			C170SP200AOFDX
19mm			C190SP200AOFDX
3/8"			C0308SP110AOFDX
7/16"	4 5/16"	3"	C0716SP110AOFDX
1/2"			C0102SP110AOFDX
3/8"			C0308SP150AOFDX
7/16"	6"	4"	C0716SP150AOFDX
1/2"			C0102SP150AOFDX
3/8"			C0308SP200AOFDX
7/16"	8"	6"	C0716SP200AOFDX
1/2"			C0102SP200AOFDX

4.Socket Adaptor



- Chrome Vanadium alloy steel, one-piece construction, cold forged, durable under constant use.
- Universal, 1/4" hex shank fits all drills.
- Ideal complement for any electric drill or power screwdriver.
- Available in sanded finish, black oxide finish, zinc plated finish.

Socket adaptor- Ball type-E6



HRC 50-54

SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	25	A14C6025VSFB
	30	A14C6030VSFB
	50	A14E6050VSFB
	65	A14E6065VSFB
	75	A14E6075VSFB
	100	A14E6100VSFB
3/8"	150	A14E6150VSFB
	50	A38E6050VSFB
	65	A38E6065VSFB
1/2"	75	A38E8075VSFB
	50	A12E6050VSFB
	75	A12E6075VSFB

Socket adaptor- Pin type-E6



HRC 50-54

SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	50	A14E6050VSMP
	75	A14E6075VSMP
	100	A14E6100VSMP
	125	A14E6125VSMP
	150	A14E6150VSMP
	3/8"	50
75		A38E6075VSMP
100		A38E6100VSMP
1/2"	125	A38E6125VSMP
	150	A38E6150VSMP
	50	A12E6050VSMP
	75	A12E6075VSMP
1/2"	100	A12E6100VSMP
	150	A12E6150VSMP

Socket adaptor-Pin type-E8



HRC 50-54

SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	50	A14E8050VSMP
	75	A14E8075VSMP
	100	A14E8100VSMP
	125	A14E8125VSMP
	150	A14E8150VSMP
3/8"	50	A38E8050VSMP
	75	A38E8075VSMP
	100	A38E8100VSMP
	125	A38E8125VSMP
	150	A38E8150VSMP
1/2"	50	A12E8050VSMP
	75	A12E8075VSMP
	100	A12E8100VSMP
	150	A12E8150VSMP

Socket adaptor-Pin type-E11




HRC 50-54

SIZE	OVERALL LENGTH/mm	ITEM NO.
1/4"	50	A14E11050VSMP
	75	A14E11075VSMP
	100	A14E11100VSMP
	125	A14E11125VSMP
	150	A14E11150VSMP
3/8"	50	A38E11050VSMP
	75	A38E11075VSMP
	100	A38E11100VSMP
	125	A38E11125VSMP
	150	A38E11150VSMP
1/2"	50	A12E11050VSMP
	75	A12E11075VSMP
	100	A12E11100VSMP
	150	A12E11150VSMP


5. Screwdriver Bit

■ Phillips Screwdriver Bit




SIZE	OVERALL LENGTH/mm	ITEM NO.
0	25	BPH00C6025SSRR
1		BPH01C6025SSRR
2		BPH02C6025SSRR
3		BPH03C6025SSRF
1	50	BPH01E6050SSRR
2		BPH02E6050SSRR
3		BPH03E6050SSRR
1	75	BPH01E6075SSRR
2		BPH02E6075SSRR
3		BPH03E6075SSRR
1	100	BPH01E6100SSRR
2		BPH02E6100SSRR
3		BPH03E6100SSRR
1	150	BPH01E6150SSRR
2		BPH02E6150SSRR
3		BPH03E6150SSRR

■ Pozi Screwdriver Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
0	25	BPZ00C6025SSRR
1		BPZ01C6025SSRR
2		BPZ02C6025SSRR
3		BPZ03C6025SSRF
1	50	BPZ01E6050SSRR
2		BPZ02E6050SSRR
3		BPZ03E6050SSRR
1	75	BPZ01E6075SSRR
2		BPZ02E6075SSRR
3		BPZ03E6075SSRR
1	100	BPZ01E6100SSRR
2		BPZ02E6100SSRR
3		BPZ03E6100SSRR
1	150	BPZ01E6150SSRR
2		BPZ02E6150SSRR
3		BPZ03E6150SSRR

■ Star Screwdriver Bit




SIZE	OVERALL LENGTH/mm	ITEM NO.
4	25	BTX04C6025SSRR
5		BTX05C6025SSRR
6		BTX06C6025SSRR
7		BTX07C6025SSRR
8		BTX08C6025SSRR
9		BTX09C6025SSRR
10		BTX10C6025SSRR
15		BTX15C6025SSRR
20		BTX20C6025SSRR
25		BTX25C6025SSRR
27	BTX27C6025SSRR	
30	BTX30C6025SSRR	
40	BTX40C6025SSRF	
45	BTX45C6025SSMH	
50	BTX50C6025SSMH	
4	50	BTX04E6050SSRR
5		BTX05E6050SSRR
6		BTX06E6050SSRR
7		BTX07E6050SSRR
8		BTX08E6050SSRR
9		BTX09E6050SSRR
10		BTX10E6050SSRR
15		BTX15E6050SSRR
20		BTX20E6050SSRR
25		BTX25E6050SSRR
27	BTX27E6050SSRR	
30	BTX30E6050SSRR	
40	BTX40E6050SSRF	
45	BTX45E6050SSMH	
50	BTX50E6050SSMH	
4	75	BTX04E6075SSRR
5		BTX05E6075SSRR
6		BTX06E6075SSRR
7		BTX07E6075SSRR
8		BTX08E6075SSRR
9		BTX09E6075SSRR
10		BTX10E6075SSRR
15		BTX15E6075SSRR
20		BTX20E6075SSRR
25		BTX25E6075SSRR
27	BTX27E6075SSRR	
30	BTX30E6075SSRR	
40	BTX40E6075SSRF	
45	BTX45E6075SSMH	
50	BTX50E6075SSMH	

SIZE	OVERALL LENGTH/mm	ITEM NO.
4	100	BTX04E6100SSRR
5		BTX05E6100SSRR
6		BTX06E6100SSRR
7		BTX07E6100SSRR
8		BTX08E6100SSRR
9		BTX09E6100SSRR
10		BTX10E6100SSRR
15		BTX15E6100SSRR
20		BTX20E6100SSRR
25		BTX25E6100SSRR
27	BTX27E6100SSRR	
30	BTX30E6100SSRR	
40	BTX40E6100SSRF	
45	BTX45E6100SSMH	
50	BTX50E6100SSMH	
<hr/>		
4	150	BTX04E6150SSRR
5		BTX05E6150SSRR
6		BTX06E6150SSRR
7		BTX07E6150SSRR
8		BTX08E6150SSRR
9		BTX09E6150SSRR
10		BTX10E6150SSRR
15		BTX15E6150SSRR
20		BTX20E6150SSRR
25		BTX25E6150SSRR
27	BTX27E6150SSRR	
30	BTX30E6150SSRR	
40	BTX40E6150SSRF	
45	BTX45E6150SSMH	
50	BTX50E6150SSMH	


SIZE	OVERALL LENGTH/mm	ITEM NO.
1.5	50mm	BHX015E6050SSRR
2.0		BHX020E6050SSRR
2.5		BHX025E6050SSRR
3.0		BHX030E6050SSRR
4.0		BHX040E6050SSRR
5.0		BHX050E6050SSRR
6.0		BHX060E6050SSRF
7.0		BHX070E6050SSMH
8.0		BHX080E6050SSMH
<hr/>		
1.5	75mm	BHX015E6075SSRR
2.0		BHX020E6075SSRR
2.5		BHX025E6075SSRR
3.0		BHX030E6075SSRR
4.0		BHX040E6075SSRR
5.0		BHX050E6075SSRR
6.0		BHX060E6075SSRF
7.0		BHX070E6075SSMH
8.0		BHX080E6075SSMH
<hr/>		
1/16	1"	BHX0116C6025SSRR
5/64		BHX0564C6025SSRR
3/32		BHX0332C6025SSRR
7/64		BHX0764C6025SSRR
1/8		BHX0108C6025SSRR
9/64		BHX0964C6025SSRR
5/32		BHX0532C6025SSRR
3/16		BHX0316C6025SSRR
7/32		BHX0732C6025SSRF
1/4		BHX0104C6025SSRF
<hr/>		
5/16	2"	BHX0516E6050SSMH
1/16		BHX0116E6050SSRR
5/64		BHX0564E6050SSRR
3/32		BHX0332E6050SSRR
7/64		BHX0764E6050SSRR
1/8		BHX0108E6050SSRR
9/64		BHX0964E6050SSRR
5/32		BHX0532E6050SSRR
3/16		BHX0316E6050SSRR
7/32		BHX0732E6050SSRF
1/4	BHX0104E6050SSRF	
<hr/>		
5/16	3"	BHX0516E6075SSMH
1/16		BHX0116E6075SSRR
5/64		BHX0564E6075SSRR
3/32		BHX0332E6075SSRR
7/64		BHX0764E6075SSRR
1/8		BHX0108E6075SSRR
9/64		BHX0964E6075SSRR
5/32		BHX0532E6075SSRR
3/16		BHX0316E6075SSRR
7/32		BHX0732E6075SSRF
1/4	BHX0104E6075SSRF	
5/16	BHX0516E6075SSMH	

■ Hexagon Insert Screwdriver Bit




SIZE	OVERALL LENGTH/mm	ITEM NO.
1.5	25mm	BHX015C6025SSRR
2.0		BHX020C6025SSRR
2.5		BHX025C6025SSRR
3.0		BHX030C6025SSRR
4.0		BHX040C6025SSRR
5.0		BHX050C6025SSRR
6.0		BHX060C6025SSRF
7.0		BHX070C6025SSMH
8.0		BHX080C6025SSMH
10.0		BHX100C6025SSMH

■ Square Screwdriver Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
0	25	BSQ00C6025SSRR
1		BSQ01C6025SSRR
2		BSQ02C6025SSRR
3		BSQ03C6025SSRR
0	50	BSQ00E6050SSRR
1		BSQ01E6050SSRR
2		BSQ02E6050SSRR
3		BSQ03E6050SSRR
1	75	BSQ01E6075SSRR
2		BSQ02E6075SSRR
3		BSQ03E6075SSRR
1	100	BSQ01E6100SSRR
2		BSQ02E6100SSRR
3		BSQ03E6100SSRR
1	150	BSQ01E6150SSRR
2		BSQ02E6150SSRR
3		BSQ03E6150SSRR

■ Slot Insert Screwdriver Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
0.5x3.0	25mm	BSL030C6025SSRR
0.6x3.5		BSL035C6025SSRR
0.5x4.0		BSL040C6025SSRR
0.6x4.5		BSL045C6025SSRR
0.8x5.0		BSL050C6025SSRR
0.8x5.5		BSL055C6025SSRR
1.0x6.0		BSL060C6025SSRR
1.0x6.5		BSL065C6025SSRR
1.2x7.0		BSL070C6025SSRF
1.2x8.0		BSL080C6025SSMH
1.6x10.0		BSL100C6025SSMH

SIZE	OVERALL LENGTH/mm	ITEM NO.
0.5x3.0	50mm	BSL030E6050SSRR
0.6x3.5		BSL035E6050SSRR
0.5x4.0		BSL040E6050SSRR
0.6x4.5		BSL045E6050SSRR
0.8x5.0		BSL050E6050SSRR
0.8x5.5		BSL055E6050SSRR
1.0x6.0		BSL060E6050SSRR
1.0x6.5		BSL065E6050SSRF
1.2x7.0		BSL070E6050SSRF
1.6x8.0		BSL080E6050SSMH
1.6x10.0		BSL100E6050SSMH
0.5x3.0		75mm
0.6x3.5	BSL035E6075SSRR	
0.5x4.0	BSL040E6075SSRR	
0.6x4.5	BSL045E6075SSRR	
0.8x5.0	BSL050E6075SSRR	
0.8x5.5	BSL055E6075SSRR	
1.0x6.0	BSL060E6075SSRR	
1.0x6.5	BSL065E6075SSRF	
1.2x7.0	BSL070E6075SSRF	
1.6x8.0	BSL080E6075SSMH	
1.6x10.0	BSL100E6075SSMH	
0.5x3.0	100mm	
0.6x3.5		BSL035E6100SSRR
0.5x4.0		BSL040E6100SSRR
0.6x4.5		BSL045E6100SSRR
0.8x5.0		BSL050E6100SSRR
0.8x5.5		BSL055E6100SSRR
1.0x6.0		BSL060E6100SSRR
1.0x6.5		BSL065E6100SSRR
1.2x7.0		BSL070E6100SSRF
1.6x8.0		BSL080E6100SSMH
1.6x10.0		BSL100E6100SSMH
0.5x3.0		150mm
0.6x3.5	BSL035E6150SSRR	
0.5x4.0	BSL040E6150SSRR	
0.6x4.5	BSL045E6150SSRR	
0.8x5.0	BSL050E6150SSRR	
0.8x5.5	BSL055E6150SSRR	
1.0x6.0	BSL060E6150SSRR	
1.0x6.5	BSL065E6150SSRR	
1.2x7.0	BSL070E6150SSRF	
1.6x8.0	BSL080E6150SSMH	
1.6x10.0	BSL100E6150SSMH	
0.024x7/64	1"	
0.025x1/8		BSL0108C6025SSRR
0.028x9/64		BSL0964C6025SSRR
0.032x5/32		BSL0532C6025SSRR
0.036x7/32		BSL0732C6025SSRR
0.04x1/4		BSL0104C6025SSRF
0.046x9/32		BSL0932C6025SSMH
0.056x5/16		BSL0516C6025SSMH


SIZE	OVERALL LENGTH/mm	ITEM NO.
0.024x7/64	2"	BSL0764E6050SSRR
0.025x1/8		BSL0108E6050SSRR
0.028x9/64		BSL0964E6050SSRR
0.032x5/32		BSL0532E6050SSRR
0.036x7/32		BSL0732E6050SSRR
0.04x1/4		BSL0104E6050SSRF
0.046x9/32		BSL0932E6050SSRF
0.056x5/16	BSL0516E6050SSMH	
0.024x7/64	3"	BSL0764E6075SSRR
0.025x1/8		BSL0108E6075SSRR
0.028x9/64		BSL0964E6075SSRR
0.032x5/32		BSL0532E6075SSRR
0.036x7/32		BSL0732E6075SSRR
0.04x1/4		BSL0104E6075SSRF
0.046x9/32		BSL0932E6075SSRF
0.056x5/16	BSL0516E6075SSMH	
0.024x7/64	4"	BSL0764E6100SSRR
0.025x1/8		BSL0108E6100SSRR
0.028x9/64		BSL0964E6100SSRR
0.032x5/32		BSL0532E6100SSRR
0.036x7/32		BSL0732E6100SSRR
0.04x1/4		BSL0104E6100SSRF
0.046x9/32		BSL0932E6100SSRF
0.056x5/16	BSL0516E6100SSMH	
0.024x7/64	6"	BSL0764E6150SSRR
0.025x1/8		BSL0108E6150SSRR
0.028x9/64		BSL0964E6150SSRR
0.032x5/32		BSL0532E6150SSRR
0.036x7/32		BSL0732E6150SSRR
0.04x1/4		BSL0104E6150SSRF
0.046x9/32		BSL0932E6150SSRF
0.056x5/16	BSL0516E6150SSMH	

■ Star-5/16" Shank



SIZE	OVERALL LENGTH/mm	ITEM NO.
20	32	BTX20C8032SSRR
25		BTX25C8032SSRR
27		BTX27C8032SSRR
30		BTX30C8032SSRR
40		BTX40C8032SSRR
45		BTX45C8032SSRF
50		BTX50C8032SSRF
55		BTX55C8032SSMH
60		BTX60C8032SSMH

■ Spline Insert Screwdriver Bit




SIZE	OVERALL LENGTH/mm	ITEM NO.
M4	25	BM04C6025SSRR
M5		BM05C6025SSRR
M6		BM06C6025SSRR
M8		BM08C6025SSMH
M10		BM10C6025SSMH

■ Star-Tamper Proofed



SIZE	OVERALL LENGTH/mm	ITEM NO.
6	25	BTH06C6025SSRR
7		BTH07C6025SSRR
8		BTH08C6025SSRR
9		BTH09C6025SSRR
10		BTH10C6025SSRR
15		BTH15C6025SSRR
20		BTH20C6025SSRR
25		BTH25C6025SSRR
27		BTH27C6025SSRR
30		BTH30C6025SSRR
40		BTH40C6025SSRF
45		BTH45C6025SSMH
50		BTH50C6025SSMH

■ Thread Bit – S2 alloy steel



SIZE	Thread	OVERALL LENGTH/mm	ITEM NO.
T10	M3	33mm	BTX10M3033SSRR
	M4		BTX10M4033SSRR
	M5		BTX10M5033SSRR
T15	M4	33mm	BTX15M4033SSRR
	M5		BTX15M5033SSRR
T20	M4	33mm	BTX25M4033SSRR
	M5		BTX20M5033SSRR
	M6		BTX20M6033SSRR
T25	M4	33mm	BTX25M4033SSRR
	M5		BTX25M5033SSRR
	M6		BTX25M6033SSRR
T30	M5	33mm	BTX30M5033SSRR
	M6		BTX30M6033SSRR
	M8		BTX30M8033SSRR
PH1	M3	33mm	BPH01M3033SSRR
	M4		BPH01M4033SSRR
	M5		BPH01M5033SSRR
PH2	M6	33mm	BPH01M6033SSRR
	M4		BPH02M4033SSRR
	M5		BPH02M5033SSRR
PH3	M6	33mm	BPH02M6033SSRR
	M6		BPH03M6033SSRR
	M8		BPH03M8033SSRR

If you need other size, please contact us.

■ PH2 Drywall Stopper W/ Fixed Collar



SIZE	OVERALL LENGTH/mm	ITEM NO.
PH2	25	BP2DWC6025SSRA
	50	BP2DWC6050SSRA

■ Drywall Stopper

■ 2 In 1 Drywall Stopper W/A Revolving Collar



DESCRIPTION	ITEM NO.
25mm PH#2 W/A Revolving Collar	BP2SWC6025SSRA
50mm PH#2 W/A Revolving Collar	BP2SWC6050SSRA

6.i-Bit



• 30mm bit length & OD. 12mm collar makes users easily operate in working.



• Users can easily change i-bit in seconds.



• User can easily find i-Bits among different size bits.



• 1/4" hex driving shank fits different bit holders

- Plastic collar design makes users easy to install or remove bits in operation, recognize & find bit size is one of outstanding features.
- Proper heat treatment provides long life under constant use.
- Specially design for professional performance.
- 30mm 1/4" Dr. S2 alloy bit, ideal for any electric drill or power screwdriver.

Phillips i-Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
1	30	BPH01C6030SSCC1
2		BPH02C6030SSCC1
3		BPH03C6030SSCC1

Star i-Bit

SIZE	OVERALL LENGTH/mm	ITEM NO.
10	30	BTX10C6030SSCC6
15		BTX15C6030SSCC6
20		BTX20C6030SSCC6
25		BTX25C6030SSCC6
30		BTX30C6030SSCC6
40		BTX40C6030SSCC6

Pozi i-Bit

SIZE	OVERALL LENGTH/mm	ITEM NO.
1	30	BPZ01C6030SSCC5
2		BPZ02C6030SSCC5
3		BPZ03C6030SSCC5

Slot i-Bit

SIZE	OVERALL LENGTH/mm	ITEM NO.
4.5	30	BSL45C6030SSCC3
5.5		BSL55C6030SSCC3
6.5		BSL65C6030SSCC3


Hexagon i-Bit

SIZE	OVERALL LENGTH/mm	ITEM NO.
4	30	BHX04C6030SSCC4
5		BHX05C6030SSCC4
6		BHX06C6030SSCC4

Square i-Bit


SIZE	OVERALL LENGTH/mm	ITEM NO.
1	30	BSQ01C6030SSCC2
2		BSQ02C6030SSCC2
3		BSQ03C6030SSCC2

7.Socket Bit



- RM socket bits are made of SNCM alloy steel or S2 high quality resistant steel with proper heat treating process.
- RM socket bits are twice or more as durable as other bits produced by our rivals.
- RM socket bits deliver power straightly, no energy wasted in heavy loading.
- RM socket bits exceed DIN & ASME standard, perfectly fits screw recesses, will not damage screws & serve thousands of times with the best quality.

Hexagon Impact Socket Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
6	78mm	HAH06H12078HKMR
7		HAH07H12078HKMR
8		HAH08H12078HKMR
10		HAH10H12078HKMR
12		HAH12H12078HKMR
14		HAH14H12078HKMR
17		HAH17H12078HKMR
19		HAH19H12078HKMR

Star Impact Socket Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
30	78mm	HAT30H12078HKMR
40		HAT40H12078HKMR
45		HAT45H12078HKMR
47		HAT47H12078HKMR
50		HAT50H12078HKMR
55		HAT35H12078HKMR
60		HAT60H12078HKMR
70		HAT70H12078HKMR
80		HAT80H12078HKMR

Star HBS Socket Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
10	1/4Dr.x37mm	HBT10H14037SSMN
20		HBT20H14037SSMN
25		HBT25H14037SSMN
27		HBT27H14037SSMN
30		HBT30H14037SSMN
40	3/8Dr.48mm	HBT40H14037SSMN
40		HBT40H38048SSMN
45		HBT45H38048SSMN
47		HBT47H38048SSMN
50		HBT50H38048SSMN
55		HBT55H12060SSMN
60	1/2Dr.x60mm	HBT60H12060SSMN
70		HBT70H12060SSMN

Hexagon HBS Socket Bit



SIZE	OVERALL LENGTH/mm	ITEM NO.
3	1/4Dr.x37mm	HBH03H14037SSMN
4		HBH04H14037SSMN
5		HBH05H14037SSMN
6	3/8Dr.x48mm	HBH06H14037SSMN
6		HBH06H38048SSMN
8		HBH08H38048SSMN
10	1/2Dr.x60mm	HBH10H12060SSMN
12		HBH12H12060SSMN
14		HBH14H12060SSMN

HAND TOOL

Taiwan Rote Mate, a professional hand tool manufacturer & screwdrivers manufacturer, supplier. We are engaged in the manufacture of high-quality screwdriver conforming to international standards coupled with promising quality and durability. Please look around the site and if you like, contact us for more information about our company, hand screwdriver tool catalogs, equipment and services or with any other questions you need addressing.

Hose Clamp Driver



- High carbon steel wire w/ proper heat treatment, is durable under constant use.
- Plastic handle provides comfort and strength.
- Use for driving hose clamp or hex-head screws in narrow space or can't reach directly.

Hose Clamp Driver

Flexible Shank




SIZE	OVERALL LENGTH	ITEM NO.
6mm	200mm	T2PP06200PCON5
7mm		T2PP07200PCON5
8mm		T2PP08200PCON5
1/4"	8"	T2PP104200PCON5
5/16"		T2PP516200PCON5



SET

25PC Pocket Screwdriver Bit Set



DESCRIPTION

ITEM NO.

24pcs 25mm Torsion Impact e-Bit®, V5 Steel
 PH#1x2, PH#2x3, PH#3x2
 PZ#1x2, PZ#2x2, PZ#3x2
 T10x1, T15x1, T20x2, T25x2, T30x1, T40x1
 H4x1, H5x1, SL8x1

RM-BT25

1 pc 60mm All Hex Extension (Impact grade)

Size and content can be changed according to your request.

31PC Screwdriver Bit Set



DESCRIPTION

ITEM NO.

30pc 25mm bit, HRC59-61, sanding finish
 PH#2x4, PZ#1x2, PZ#2x3
 T10x2, T15x4, T20x7, T25x3, T30x3, T40x2
 1 pc 60mm quick release bit holder

RM-BT31

Size and content can be changed according to your request.

■ 32 PC De-Space Bit Wrench Set



PATENTED

DESCRIPTION	ITEM NO.
30pc 25mm 1/4" Dr. S2 alloy bit, ideal for any electric drill or power screwdriver. 1pc 50mm Magnetic stainless steel bit holder, accommodates all 1/4" hex insert bit. 1pc 1/4" dr. De-Space© bit wrench. Rugged construction provides long life under constant use. Specially design for professional performance.	RM-BT32RH

■ 36PC Torsion Impact Bit Set



PATENTED

DESCRIPTION	ITEM NO.
25pc 25mm and 8pc 50mm Torsion Impact e-Bit®, V5 steel. 2pc 50mm Nut Setter, S2 steel. 1pc 60mm All Hex Extension. Size and content can be changed according to your request.	RM-BTT36A

■ 6 pcs Pocket Set



RM-BT0650

RM-BT0670

PATENTED

DESCRIPTION	ITEM NO.
-------------	----------

6pcs 50mm Torsion Impact e-Bit®, V5 Steel, ideal for any electric drill or power screwdriver.
Easy-to-carry in a pocket
Rugged construction provides long life under constant use.
Specially design for professional performance.

RM-BT0650

DESCRIPTION	ITEM NO.
-------------	----------

6pcs 70mm Torsion Impact e-Bit®, V5 Steel, ideal for any electric drill or power screwdriver.
Easy-to-carry in a pocket
Rugged construction provides long life under constant use.
Specially design for professional performance.

RM-BT0670

■ 10 pcs Handle Bit Set



Handle Function

Easy Carry

PATENTED

DESCRIPTION	ITEM NO.
-------------	----------

9pc 25mm screwdriver bit, S2 Steel, Sand Blast.
1pc 60mm Quick Release Chuck
Specially design for professional performance.
Anti-theft function with black hook

RM-BT10PCPM01



PATENTED

DESCRIPTION	ITEM NO.
<p>9pc 25mm Torsion Impact e-Bit®, V5 Steel, ideal for any electric drill or power screwdriver.</p> <p>1pc 60mm All Hex Extension (Impact Grade)</p> <p>Rugged construction provides long life under constant use. Specially design for professional performance.</p>	<p>RM-BT10ALPK01</p>

■ 10 pcs Pocket Set



PATENTED

DESCRIPTION	ITEM NO.
<p>9pc 25mm Torsion Impact e-Bit®, V5 Steel, ideal for any electric drill or power screwdriver.</p> <p>1pc 70mm Magnetic Bit Holder-W/ Auto Finder</p> <p>Rugged construction provides long life under constant use. Specially design for professional performance.</p>	<p>RM-BT10BFPK01</p>



PATENTED

DESCRIPTION

ITEM NO.

9pc 25mm Torsion Impact e-Bit®, V5 Steel,
ideal for any electric drill or power screwdriver.
1pc 60mm One-Touch Quick Release
Rugged construction provides long life under constant use.
Specially design for professional performance.

RM-BT10QRPK01

17 PC Power Bit And Nut Setter Set



PATENTED

DESCRIPTION

ITEM NO.

10 pcs 50mm Torsion Impact e-Bit®, V5 Steel.
PH#1x1, PH#2x2, PH#3x1
T20x1, T25x1
PZ#1x1, PZ#2x2, PZ#3x1
7 pcs 50mm Torsion Impact e-Nut®, S2 Steel.
1/4, 3/8, 7mm, 8mm, 10mm, 11mm, 13mm
One Tool pouch with belt loop

RM-17EBNW01



PATENTED

DESCRIPTION	ITEM NO.
-------------	----------

10 pcs 50mm Torsion Impact e-Bit®, V5 Steel.
 PH#1x1, PH#2x2, PH#3x1
 T20x1, T25x1
 PZ#1x1, PZ#2x2, PZ#3x1
 6 pcs 50mm Torsion Impact e-Nut®, S2 Steel.
 3/8, 7mm, 8mm, 10mm, 11mm, 13mm
 1 pc 60mm All Hex Extension (Impact Grade)
 One Tool pouch with belt loop

RM-17EBNW02

■ 21 PC Power Bit Set



PATENTED

DESCRIPTION	ITEM NO.
-------------	----------

1pc 2-color hand with 1/4" quick-release holder
 16pcs 90mm(3-1/2") Torsion Impact e-Bit® with color rings, V5 Steel.
 4pc 50mm Torsion Impact e-Bit®
 One Tool pouch with belt loop

RM-BT21E-C

■ 19 PC i-Bit Set



PATENTED

DESCRIPTION

ITEM NO.

18pc 30mm 1/4"DR. i-Bit, S2 alloy steel, ideal for any electric drill or power screwdriver.
 1pc Magnetic Quick-Change stainless steel bit holder accommodates all 1/4" hex insert bit.
 Rugged construction provides long life under constant used.
 Specially design for professional performance.
 "Stand-up" box design is the most convenient for users.

RM-BT19I

■ 10 in 1 Precision Screwdriver



PAT P.

DESCRIPTION

ITEM NO.

1pc 2-tone handle with swivel cap makes users work comfortably,
 storage room in handle keeps bits from missing.
 5pc S2 steel, double-ended bits, 45mm long, 3.5mm hex driving shank.
 Proper heat treatment provides long life.
 The most popular sizes includes:
 PH#1X SLOTTED 1/8"
 PH#0 X SLOTTED 3/32"
 PH#00 X SLOTTED 5/64"
 T7XT9, T6XT8
 1pc plastic rack for storage, to find & pick bits up easily.
 Specially design for DIY use.

RM-PS10-1

Package

Rote Mate provides various packages for your choice. Bits and nut setters can be loaded in boxes, polybag, or other packages you request.

Double Card Series

PICTURE	ITEM NO.
	DOUBLE CARD

e-PAK

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit (MAX. length: 50mm)	e-PAK
	Bit 25mm: 15 pcs 50mm: 10 pcs	

BT Box Series

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit (MAX. length: 50mm)	BT2
	Bit 25mm: 1~6 pcs 50mm: 3 pcs	
PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit (MAX. length: 50mm)	BT20
	Bit 25mm: 20 pcs 50mm: 10 pcs	

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit (MAX. length: 100mm)	BT60
	Bit 25mm: 60 pcs 100mm: 15 pcs	


PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit or nut setter.	BT50
	Bit 25mm: 50 pcs 50mm: 25 pcs	
	Nut Setter 65mm: 5 pcs	

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit or nut setter.	BT100
	Bit 25mm: 100 pcs 50mm: 50 pcs	
	Nut Setter 65mm: 10 pcs	

SK Box Series

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit or nut setter (MAX. length: 75mm)	SK80
	Bit 10 pcs	
	Nut Setter 1 pc	

PICTURE	CONTENT	ITEM NO.
	It can load the screwdriver bit or nut setter (MAX. length: 125mm)	SK125
	Bit 10 pcs	
	Nut Setter 1 pc	

PICTURE	CONTENT	ITEM NO.
	<p>It can load the screwdriver bit or nut setter (MAX. length: 200mm)</p> <hr/> <p>Bit 10 pcs</p> <hr/> <p>Nut Setter 1 pc</p>	<p>SK205</p>

Security Hang Tag for E6.3

PICTURE	
	

